Thermacore® collection



Premium insulated garage doors deliver maximum thermal efficiency and design flexibility. The Genuine. The Original.





The Thermacore® Collection steel garage doors feature premium insulation construction and design which provides maximum thermal efficiency and reduced air infiltration for your

garage space. This durable line of garage doors gives you many years of reliable operation while providing comfort to your home, even in extreme climates.

Built better from the inside out



Model 194 7' high, Standard panel, Sandstone finish, Somerton 2 style windows



Durable finish
Hot-dipped galvanized steel
with two coats of baked-on
polyester paint.



weatherseal Guards against wind and rain while providing a cushion when closing.

Bulb-type bottom

Thermacore® construction

Provides a continuous layer of foamed-in-place, CFC-free polyurethane insulation sandwiched between two layers of corrosion-resistant steel, for maximum thermal efficiency.


Embossed wood-grain texture Adds beauty, sophistication and durability

In-between section thermal seals With an air infiltration rating of up to 0.08 cfm, seals provide superior resistance to the elements.

Our WindStorm™ wind load rated system

Available on select products to meet regulations for a variety of wind speeds, including hurricane-force winds, and meet the most stringent local building codes.

Delivering comfort and efficiency. Living spaces in your home are typically located above or beside the garage. Having a door with proper insulation for extreme cold and hot climates will increase the thermal efficiency and comfort of your home.



While adding comfort to your home by providing protection from air infiltration and temperature changes, the Thermacore® Collection also keeps design in mind.




Thermacore® Collection $Door\ Designs$

Select your door panel style and color

1

Choose a panel style:



Models	295(L) 296(V) 297 (S) 298 (F)	194(S) 195(F) 198 (L) 199 (V)	494(S) 495(F) 496 (L) 497 (V)
Polyurethane insulation ¹	•	•	•
R-value ²	9.31	12.76	17.5
U-factor ³	0.24	0.24	0.16
Steel backing⁴	•	•	•
Warranty	20-year limited	Limited lifetime	Limited lifetime

¹ Polyurethane insulation: Our polyurethane foam insulation contains no CFCs or HCFCs (100% water-blown foam). Thermacore® section construction provides low U-factors for maximum energy efficiency.

² R-value: R-value is a measure of thermal efficiency. The higher the R-value the greater the insulating properties of the door. Overhead Door Corporation uses a calculated door section R-value for our insulated doors.

³ U-factor: A tested value of actual energy loss - whether heat or cold - of an installed door, wall, or window assembly. The lower the number the lower the energy loss and therefore the better the thermal performance. U-factor will vary depending on finish and color selection. For best U-factor, choose finish and color with high solar reflectance (bright colors).

⁴ Backing: Interior-side steel backing, standard on Thermacore® products, provides strength and a finished, clean appearance.

Thermacore® Collection $Decorative\ Accents$

Customize your door with color and windows

2

Choose a color:

Colors may vary slightly from these shown and may not be available on all models. To custom paint your door see painting instructions in the owner's manual.



3

Choose a window style:

Available on Standard, Flush and V5 panels



Williamsburg 8


Thermacore® Collection $Decorative\ Accents$

Customize your door with windows

Available on models 194 and 195 only



Available on Long, Flush and V5 panels



Williamsburg 2 (4 pc)

Choose a glass type:

All decorative trim windows come standard with double strength glass.

In addition, the Thermacore® Collection offers an array of choices, including:

- Insulated glass thermal efficiency*
- Tempered glass enhanced safety
- Clear Lexan® shatter resistent
- High velocity impact glass security option
- Obscure glass light infliltration with privacy
- Solar bronze UV protection



Clear



Obscure


^{*} Not available on 290 series.

Thermacore® Collection $Decorative\ Accents$

Customize your door with ornamental hardware



Choose your hardware:





Model 199 7' high V5 double car panel, Desert Tan finish with Clear Short windows, Spear style decorative hardware


5

Choose your opener:



Be sure to ask about our complete line of Overhead Door® garage door openers. Powerful, quiet and durable, Overhead Door's garage door openers are designed for performance, safety and convenience. Your Overhead Door Distributor will help you choose the opener that best suits your door and preferences.









Limited Warranty.

Thermacore® Collection garage doors are backed by up to a limited lifetime non-transferable warranty.*

* Warranties vary by model, and are available upon request. See full text of warranty for details.

The Genuine. The Original.

Since 1921, Overhead Door Corporation has not only raised the standards of excellence for the industry—we've created them. Overhead Door created the first upward-acting door in 1921 and the first electric garage door opener in 1926.

Today, our network of over 400 Overhead Door Distributors are still leading the way with innovative solutions and unmatched installation, service and support. So look for the Red Ribbon. It's your guarantee that you're getting the genuine, the original Overhead Door.

SOLD AND DISTRIBUTED BY:











The Genuine. The Original.



2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067

1-800-929-DOOR • sales@overheaddoor.com www.OverheadDoor.com

